


MSA-106



Machine: CITIZEN Cincom

Type: M416

Emplacement, N°: Tourelle

Travail sur: Broche principale

Type de travail: 

n_{max} : 8'000 [rpm]


$i (n_i / n_o)$: 1 / 1

Attachement: ER16

Sans refroidissement

Infos:

- Inclinaison : 6°

MSA-106

Machine: CITIZEN Cincom

Type: M416

Location, N°: Turret

Work on: Main spindle

Type of work:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1


Attachement: ER16

Without coolant

Infos:

- Inclination : 6°

MSA-106



Maschine: CITIZEN Cincom

Typ: M416

Position, N°: Revolver

Arbeit über: Hauptspindel

Arbeitstyp: 

n_{max} : 8'000 [rpm]


$i (n_i / n_o)$: 1 / 1

Befestigung: ER16

Ohne Kühlmittel

Infos:

- Neigungswinkel : 6°

MSA-106

Macchina: CITIZEN Cincom
Tipo: M416
Posizione, N°: Toretta
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 8'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
Ataccamento: ER16
Senza refrigerante
Informazioni:
- Inclinazione : 6°