


GSS1035-DEC



Machine: CITIZEN Cincom

Type: L220/L32

Emplacement, N°: Coulisse linéaire

Travail sur: Broche principale

Type de travail: 

$n_{\max}$: 6'000 [rpm]


i (n_i / n_o): 1 / 1

Attachement: Arbre Ø 10

Sans refroidissement

Infos:

GSS1035-DEC



Machine: CITIZEN Cincom

Type: L220/L32

Location, N°: Gangtool

Work on: Main spindle

Type of work: 


n_{max} : 6'000 [rpm]

$i (n_i / n_o)$: 1 / 1

Attachement: Arbor Ø 10

Without coolant

Infos:

GSS1035-DEC

Machine: CITIZEN Cincom

Typ: L220/L32

Position, N°: Vertikalhalter

Arbeit über: Hauptspindel


Arbeitstyp:  $n_{\max}$: 6'000 [rpm] $i (n_i / n_o)$: 1 / 1

Befestigung: Welle Ø 10

Ohne Kühlmittel

Infos:

GSS1035-DEC



Macchina: CITIZEN Cincom
 Tipo: L220/L32
 Posizione, N°: Slitta lineare
 Lavoro al: Mandrino principale
 Tipo di lavoro: 
 n_{max} : 6'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
 Ataccamento: Albero Ø 10
 Senza refrigerante
 Informazioni: