


KSE310-UD



Machine: CITIZEN Cincom

Type: M220/232

Emplacement, N°: Tourrelle

Travail sur: Broche principale / Broche de reprise

 Type de travail: 
 $n_{\max}$: 2'500 [rpm]


 $i (n_i / n_o)$: 2 / 1

Attachement: ER 16

Refroidissement externe

Infos:

KSE310-UD



Machine: CITIZEN Cincom

Type: M220/232

Location, N°: Turret

Work on: Main spindle / Back spindle

Type of work: 


n_{max} : 2'500 [rpm]

$i (n_i / n_o)$: 2 / 1


Attachement: ER 16

External coolant

Infos:

KSE310-UD

Maschine: CITIZEN Cincom
Typ: M220/232
Position, N°: Revolver
Arbeit über: Hauptspindel / Abgreifspindel
Arbeitstyp: 
 $n_{\max}$: 2'500 [rpm]
 $i (n_i / n_o)$: 2 / 1
Befestigung: ER 16
Ausser Kühlmittel
Infos:

KSE310-UD

Macchina: CITIZEN Cincom

Tipo: M220/232

Posizione, N°: Toretta

Lavoro al: Mandrino principale / Contromandrino

Tipo di lavoro:  n_{max} : 2'500 [rpm] $i (n_i / n_o)$: 2 / 1

Ataccamento: ER 16

Refrigerante esterno

Informazioni: