


CDF901-IK

Machine: CITIZEN Cincom

Type: M32

Emplacement, N°: Tourelle

Travail sur: Broche principale / Broche de reprise

Type de travail: n_{max}: -i (n_i / n_o): -


Attachement: Ø 25.4 H7

Refroidissement : Interne + Externe

Pression maximale: 150 [bar]

Infos:

CDF901-IK



Machine: CITIZEN Cincom

Type: M32

Location, N°: Turret

Work on: Main spindle / Back spindle

Type of work: 

n_{max} : -


$i (n_i / n_o)$: -

Attachement: Ø25.4 H7


Coolant: Internal + External

Maximum pressure: 150 [bar]

Infos:

CDF901-IK


Maschine: CITIZEN Cincom
 Typ: M32
 Position, N°: Revolver
 Arbeit über: Hauptspindel / Abgreifspindel
 Arbeitstyp: 
 n_{max}: -
 i (n_i / n_o): -
 Befestigung: Ø25.4 H7
 Kühlmittel: Inner + Ausser
 Maximaler Druck: 150 [bar]
 Infos:

CDF901-IK

Macchina: CITIZEN Cincom
Tipo: M32
Posizione, N°: Toretta
Lavoro al: Mandrino principale / Contromandrino
Tipo di lavoro: 
 n_{max} : -
 $i (n_i / n_o)$: -
Ataccamento: Ø25.4 H7
Refrigerante: Interno +Esterno
Pressione massima: 150 [bar]
Informazioni: