


U39B-II

Machine: CITIZEN

Type: R04

Emplacement, N°: Coulisse linéaire

Travail sur: Broche principale


Type de travail:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Attachement: Arbre Ø3.5mm

Sans refroidissement

Infos: Utiliser le moteur et les protections de l'outil entraîné original.

U39B-II



Machine: CITIZEN

Type: R04

Location, N°: Gangtool

Work on: Main spindle

Type of work: 


n_{max} : 8'000 [rpm]

$i (n_i / n_o)$: 1 / 1

Attachement: Shaft Ø3.5mm

Without coolant

Infos: To be used with motor and protections of original driven tool.

U39B-II

Machine: CITIZEN

Typ: R04

Position, N°: Vertikalhalter


Arbeit über: Hauptspindel

Arbeitstyp:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Befestigung: Schaft Ø3.5mm

Ohne Kühlmittel

Infos: Mit Motor und Schutzhaube von original Werkzeug verwenden.

U39B-II

Macchina: CITIZEN

Tipo: R04

Posizione, N°: Slitta lineare

Lavoro al: Mandrino principale

Tipo di lavoro:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Ataccamento: Codolo Ø3.5mm

Senza refrigerante

Informazioni: utilizzare con il motore e protezioni originale.