


SR20J-RSC-007

Machine: STARMICRONICS

Type: SR20J

Emplacement, N°: T2100-T2400


Travail sur: Broche de reprise

Type de travail:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Attachement: ER 11

Sans refroidissement

Infos:

SR20J-RSC-007

Machine: STARMICRONICS

Type: SR20J

Location, N°: T2100-T2400


Work on: Back spindle

Type of work:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Attachement: ER 11

Without coolant

Infos:

SR20J-RSC-007

Machine: STARMICRONICS

Typ: SR20J

Position, N°: T2100-T2400


Arbeit über: Abgreifspindel

Arbeitstyp:  $n_{\max}$: 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Befestigung: ER 11

Ohne Kühlmittel

Infos:

SR20J-RSC-007

Macchina: STARMICRONICS

Tipo: SR20J

Posizione, N°: T2100-T2400

Lavoro al: Contromandrino

Tipo di lavoro:  n_{max} : 8'000 [rpm] $i (n_i / n_o)$: 1 / 1

Ataccamento: ER 11

Senza refrigerante

Informazioni: