


**MSH210-050**

Machine: CITIZEN

Type: M416

Emplacement, N°: Turret

Travail sur: Broche principale

Type de travail: i (n<sub>i</sub> / n<sub>o</sub>): 13 / 11

Attachement: Arbre Ø 5.0

Refroidissement externe Pression maximale: 150 [bar]


Infos:

Diamètre de la fraise : Ø10-12mm

Epaisseur de la fraise : 5-6-8mm

Décalage : 9 mm

**MSH210-050**



Machine: CITIZEN

Type: M416

Location, N°: Turret

Work on: Main spindle

Type of work:

i (n<sub>i</sub> / n<sub>o</sub>): 13 / 11

Attachement: Arbor Ø 5.0


External coolant Maximum pressure: 150 [bar]

Infos:

Diameter of the mill : Ø10-12mm

Width of mill cutter : 5-6-8mm

Shifted : 9 mm


**MSH210-050**

Machine: CITIZEN

Typ: M416

Position, N°: Turret

Arbeit über: Hauptspindel

Arbeitstyp: i (n<sub>i</sub> / n<sub>o</sub>): 13 / 11

Befestigung: Welle Ø 5.0

Ausser Kühlmittel Maximaler Druck: 150 [bar]

Infos:

Fräserdurchmesser : Ø10-12mm

Breite des Fräasers : 5-6-8mm

Verschoben : 9mm