


CDF901-25-IK

Machine: CITIZEN Cincom

Type: M32

Emplacement, N°: Tourelle

Travail sur: Broche principale / Broche de reprise


Type de travail: n_{max}: -i (n_i / n_o): -

Attachement: Ø 25 H7


Refroidissement : Interne + Externe

Pression maximale: 150 [bar]


Infos:

CDF901-25-IK

Machine: CITIZEN Cincom
Type: M32
Location, N°: Turret
Work on: Main spindle / Back spindle
Type of work: 
 n_{max} : -
 $i (n_i / n_o)$: -
Attachement: Ø25 H7
Coolant: Internal + External
Maximum pressure: 150 [bar]
Infos:

CDF901-25-IK

Maschine: CITIZEN Cincom
Typ: M32
Position, N°: Revolver
Arbeit über: Hauptspindel / Abgreifspindel
Arbeitstyp: 
 $n_{\max}$: -
 $i (n_i / n_o)$: -
Befestigung: Ø25 H7
Kühlmittel: Inner + Ausser
Maximaler Druck: 150 [bar]
Infos:

CDF901-25-IK

Macchina: CITIZEN Cincom
Tipo: M32
Posizione, N°: Toretta
Lavoro al: Mandrino principale / Contromandrino
Tipo di lavoro: 
n_{max}: -
i (n_i / n_o): -
Ataccamento: Ø25 H7
Refrigerante: Interno +Esterno
Pressione massima: 150 [bar]
Informazioni: