


**BO26-RSE-110**

Machine: Tsugami

Type: BO26, BO32, BO38

Emplacement, N°: Coulisse linéaire, T11


Travail sur: Broche principale

Type de travail:  $n_{\max}$ : 6'000 [rpm] $i (n_i / n_o)$ : 1 / 1


Attachement: ER 16

Avec refroidissement


Infos:

**BO26-RSE-110**

Machine: Tsugami  
Type: BO26, BO32, BO38  
Location, N°: Gangtool, T11  
Work on: Main spindle  
Type of work:   
 $n_{max}$ : 6'000 [rpm]  
 $i (n_i / n_o)$ : 1 / 1  
Attachement: ER 16  
With coolant  
Infos:

**BO26-RSE-110**

Maschine: Tsugami  
Typ: BO26, BO32, BO38  
Position, N°: Vertikalhalter, T01  
Arbeit über: Hauptspindel  
Arbeitstyp:   
 $n_{\max}$ : 6'000 [rpm]  
 $i (n_i / n_o)$ : 1 / 1  
Befestigung: ER 16  
Mit Kühlmittel  
Infos:

**BO26-RSE-110**

Macchina: Tsugami

Tipo: BO26, BO32, BO38

Posizione, N°: Slitta lineare, T01

Lavoro al: Mandrino principale

Tipo di lavoro: 

$n_{max}$ : 6'000 [rpm]

$i (n_i / n_o)$ : 1 / 1

Atacco: ER 16

Con refrigerante

Informazioni: