


LL-ZBD0-ER16-HP

Machine: GOODWAY

Type: SW42

Emplacement, N°: Coulisse linéaire / T3400

Travail sur: Broche principale


Type de travail:  $n_{\max}$: 5'000 [rpm] $i (n_i / n_o)$: 1 / 1

Attachement: ER 16

Refroidissement interne Pression maximale: 150 [bar]


Infos:

LL-ZBD0-ER16-HP




Machine: GOODWAY
 Type: SW42
 Location, N°: Gangtool / T3400
 Work on: Main spindle
 Type of work: 
 n_{max} : 5'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
 Attachement: ER 16
 Internal coolant Maximum pressure: 150 [bar]
 Infos:

LL-ZBD0-ER16-HP



Maschine: GOODWAY
 Typ: SW42
 Position, N°: Vertikalhalter / T3400
 Arbeit über: Hauptspindel
 Arbeitstyp: 
 n_{max} : 5'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
 Befestigung: ER 16
 Inner Kühlmittel Maximaler Druck: 150 [bar]
 Infos:

LL-ZBD0-ER16-HP

Macchina: GOODWAY

Tipo: SW42

Posizione, N°: Slitta lineare / T07

Lavoro al: Mandrino principale

Tipo di lavoro:  $n_{\max}$: 5'000 [rpm] $i (n_i / n_o)$: 1 / 1

Ataccamento: ER 16

Refrigerante interno Pressione massima: 150 [bar]

Informazioni: