


BO26-RSE-105-4x

Machine: Tsugami

Type: BO26, BO32, BO38, SS26, SS32

Emplacement, N°: T31 à T34

Travail sur: Broche de reprise


Type de travail:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER8

Sans refroidissement


Infos:

BO26-RSE-105-4x




Machine: Tsugami
 Type: BO26, BO32, BO38, SS26, SS32
 Location, N°: T31 à T34
 Work on: Back spindle
 Type of work: 
 $n_{\max}$: 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
 Attachement: ER 8
 Without coolant
 Infos:

BO26-RSE-105-4x



Maschine: Tsugami
 Typ: BO26, BO32, BO38, SS26, SS32
 Position, N°: T31 à T34
 Arbeit über: Abgreifspindel
 Arbeitstyp: 
 $n_{\max}$: 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
 Befestigung: ER 8
 Ohne Kühlmittel
 Infos:

BO26-RSE-105-4x

Macchina: Tsugami
Tipo: BO26, BO32, BO38, SS26, SS32
Posizione, N°: T31 à T34
Lavoro al: Contromandrino
Tipo di lavoro: 
 $n_{\max}$: 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
Ataccamento: ER 8
Senza refrigerante
Informazioni: