


BO26-RSE-107-4x



Machine: Tsugami

Type: BO26, BO32, BO38, SS26, SS32

Emplacement, N°: T31 à T34

Travail sur: Broche de reprise

Type de travail: 


n_{max} : 22'800 [rpm]

$i (n_i / n_o)$: 1 / 3.8

Attachement: ER11

Sans refroidissement

Infos:

BO26-RSE-107-4x


Machine: Tsugami

Type: BO26, BO32, BO38, SS26, SS32

Location, N°: T31 à T34

Work on: Back spindle

Type of work: 


n_{max} : 22'800 [rpm]

$i (n_i / n_o)$: 1 / 3.8


Attachement: ER11

Without coolant

Infos:

BO26-RSE-107-4x

Maschine: Tsugami
Typ: BO26, BO32, BO38, SS26, SS32
Position, N°: T31 à T34
Arbeit über: Abgreifspindel
Arbeitstyp: 
 $n_{\max}$: 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
Befestigung: ER11
Ohne Kühlmittel
Infos:

BO26-RSE-107-4x


Macchina: Tsugami
 Tipo: BO26, BO32, BO38, SS26, SS32
 Posizione, N°: T31 à T34
 Lavoro al: Contromandrino
 Tipo di lavoro: 
 n_{max} : 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
 Ataccamento: ER11
 Senza refrigerante
 Informazioni: