


BSC1107-4x

Machine: CITIZEN Cincom

Type: L32

Emplacement, N°: T31 – T34


Travail sur: Broche de reprise

Type de travail:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER11

Sans refroidissement

Infos:

BSC1107-4x

Machine: CITIZEN Cincom

Type: L32

Location, N°: T31 – T34


Work on: Back spindle

Type of work:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER 11

Without coolant

Infos:

BSC1107-4x

Machine: CITIZEN Cincom

Typ: L32

Position, N°: T31 – T34


Arbeit über: Abgreifspindel

Arbeitstyp:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Befestigung: ER 11

Ohne Kühlmittel

Infos:

BSC1107-4x

Macchina: CITIZEN Cincom

Tipo: L32

Posizione, N°: T31 – T34

Lavoro al: Contromandrino

Tipo di lavoro:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Ataccamento: ER 11

Senza refrigerante

Informazioni: