


CDF101-120-II-HP

Machine: CITIZEN Cincom

Type: M20-2M3 / M20-2M5 / M20-3M3 / M20-3M5

M32-2M3 / M32-2M5 / M32-3M3 / M32-3M5 / M32-4M5 / M32-4M8

M32-5M5 / M32-5M7 / M32-5M8

Emplacement, N°: Tourrelle

Travail sur: Broche principale / Broche de reprise


Type de travail: n_{max}: -i (n_i / n_o): -

Attachement: Ø 12H7

Refroidissement : Interne + Externe

Pression maximale: 150 [bar]

Infos:

CDF101-120-II-HP

Machine: CITIZEN Cincom

Type: M20-2M3 / M20-2M5 / M20-3M3 / M20-3M5

M32-2M3 / M32-2M5 / M32-3M3 / M32-3M5 / M32-4M5 / M32-4M8

M32-5M5 / M32-5M7 / M32-5M8

Location, N°: Turret

Work on: Main spindle / Back spindle


Type of work: n_{max}: -i (n_i / n₀): -

Attachement: Ø12H7

Coolant: Internal + External

Maximum pressure: 150 [bar]

Infos:

CDF101-120-II-HP

Machine: CITIZEN Cincom

Typ: M20-2M3 / M20-2M5 / M20-3M3 / M20-3M5

M32-2M3 / M32-2M5 / M32-3M3 / M32-3M5 / M32-4M5 / M32-4M8

M32-5M5 / M32-5M7 / M32-5M8

Position, N°: Revolver

Arbeit über: Hauptspindel / Abgreifspindel

Arbeitstyp:


n_{max}: -i (n_i / n₀): -

Befestigung: Ø12H7

Kühlmittel: Inner + Ausser

Maximaler Druck: 150 [bar]

Infos:

CDF101-120-II-HP

Macchina: CITIZEN Cincom

Tipo: M20-2M3 / M20-2M5 / M20-3M3 / M20-3M5

M32-2M3 / M32-2M5 / M32-3M3 / M32-3M5 / M32-4M5 / M32-4M8

M32-5M5 / M32-5M7 / M32-5M8

Posizione, N°: Toretta

Lavoro al: Mandrino principale / Contromandrino

Tipo di lavoro:

 n_{max} : - i (n_i / n_o): -

Ataccamento: Ø12H7

Refrigerante: Interno +Esterno

Pressione massima: 150 [bar]

Informazioni: