



GSS507

Machine: CITIZEN Cincom

Type: M416

Emplacement, N°: Coulisse linéaire

Travail sur: Broche principale

Type de travail:  n_{max} : 6'000 [rpm] i (n_i / n_o): 1 / 1


Attachement: Arbre Ø 13

Sans refroidissement

Infos:

Fraise :

- \varnothing_{max} =50mm
- Largeur max=6mm


GSS507

Machine: CITIZEN Cincom

Type: M416

Location, N°: Gangtool

Work on: Main spindle

Type of work:  n_{\max} : 6'000 [rpm] i (n_i / n_o): 1 / 1


Attachement: Arbor Ø 13

Without coolant

Infos:

Mill saw:

- \varnothing_{\max} =50mm
- Width max=6mm

GSS507

Machine: CITIZEN Cincom

Typ: M416

Position, N°: Vertikalhalter

Arbeit über: Hauptspindel

Arbeitstyp:   n_{max} : 6'000 [rpm] i (n_i / n_o): 1 / 1


Befestigung: Welle Ø 13


Ohne Kühlmittel

Infos:

Frässsägeblätter :

- Ø_{max}=50mm
- Breite max=6mm

GSS507

Macchina: CITIZEN Cincom
Tipo: M416
Posizione, N°: Slitta lineare
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 6'000 [rpm]
 i (n_i / n_o): 1 / 1
Ataccamento: Albero Ø 13
Senza refrigerante
Informazioni:
Frese-seghe :

- $\varnothing_{max}=50mm$
- Larghezza max=6mm