


GSC-1307-DEC

Machine: CITIZEN Cincom

Type: L20,M32,A32,L32

Emplacement, N°: Coulisse linéaire


Travail sur: Broche principale


Type de travail:  n_{\max} : 6'000 [rpm] i (n_i / n_o): 1 / 1


Attachement: Arbre Ø 16

Sans refroidissement

Infos:

GSC-1307-DEC

Machine: CITIZEN Cincom
Type: L20,M32,A32,L32
Location, N°: Gangtool
Work on: Main spindle
Type of work: 
 n_{max} : 6'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
Attachement: Arbor \varnothing 16
Without coolant
Infos:


GSC-1307-DEC

Machine: CITIZEN Cincom

Typ: L20,M32,A32,L32

Position, N°: Vertikalhalter


Arbeit über: Hauptspindel


Arbeitstyp:  n_{max} : 6'000 [rpm] i (n_i / n_o): 1 / 1

Befestigung: Welle Ø 16

Ohne Kühlmittel

Infos:

GSC-1307-DEC

Macchina: CITIZEN Cincom
Tipo: L20,M32,A32,L32
Posizione, N°: Slitta lineare
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 6'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
Ataccamento: Albero Ø 16
Senza refrigerante
Informazioni: