


MEU107



Machine: CITIZEN Cincom

Type: M416

Emplacement, N°: Coulisse linéaire

Travail sur: Broche principale / Broche de reprise

Type de travail: 

n_{max} : - [rpm]

$i (n_i / n_o)$: -


Attachement: Arbre Ø 10H7

Refroidissement interne

Pression maximale: 80 [bar]

Infos:

MEU107



Machine: CITIZEN Cincom

Type: M416

Location, N°: Gangtool

Work on: Main spindle / Back spindle

Type of work: 

$n_{\max}$: - [rpm]

$i (n_i / n_o)$: -


Attachement: Arbor $\varnothing 10H7$

Internal coolant

Maximum pressure: 80 [bar]

Infos:

MEU107



Maschine: CITIZEN Cincom

Typ: M416

Position, N°: Vertikalhalter

Arbeit über: Hauptspindel / Abgreifspindel

Arbeitstyp: 

$n_{\max}$: - [rpm]

$i (n_i / n_o)$: -


Befestigung: Welle $\varnothing 10 H7$

Inner Kühlmittel

Maximaler Druck: 80 [bar]

Infos:

MEU107



Macchina: CITIZEN Cincom

Tipo: M416

Posizione, N°: Slitta lineare

Lavoro al: Mandrino principale / Contromandrino

Tipo di lavoro: 

n_{max} : - [rpm]

$i (n_i / n_o)$: -

Ataccamento: Albero Ø 10H7

Refrigerante interno

Pressione massima: 80 [bar]

Informazioni: