


BO26-RSE-310-IK


Machine: Tsugami

Type: BO26, BO32, BO38

Emplacement, N°: Coulisse linéaire, T11

Travail sur: Broche principale

 Type de travail: 
 n_{max} : 8'000 [rpm]


 $i (n_i / n_o)$: 1 / 1

Attachement: ER 16

Avec refroidissement

Infos:

BO26-RSE-310-IK



Machine: Tsugami

Type: BO26, BO32, BO38

Location, N°: Gangtool, T11

Work on: Main spindle

Type of work: 

n_{max} : 8'000 [rpm]


$i (n_i / n_o)$: 1 / 1

Attachement: ER 16


With coolant

Infos:

BO26-RSE-310-IK



Maschine: Tsugami
 Typ: BO26, BO32, BO38
 Position, N°: Vertikalhalter, T11
 Arbeit über: Hauptspindel
 Arbeitstyp: 
 n_{max} : 8'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
 Befestigung: ER 16
 Mit Kühlmittel
 Infos:

BO26-RSE-310-IK


Macchina: Tsugami
 Tipo: BO26, BO32, BO38
 Posizione, N°: Slitta lineare, T11
 Lavoro al: Mandrino principale
 Tipo di lavoro: 
 n_{max} : 8'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
 Ataccamento: ER 16
 Con refrigerante
 Informazioni: