


BO26-RSE-210-3x-IK



Machine: Tsugami

Type: BO26, BO32, BO38

Emplacement, N°: Coulisse linéaire, T11/T14/T17

Travail sur: Broche principale

Type de travail: 


n_{max} : 18'000 [rpm]

$i (n_i / n_o)$: 1 / 3


Attachement: ER 16

Arrosage interne : max 120 [bar]


Infos:

BO26-RSE-210-3x-IK

Machine: Tsugami
Type: BO26, BO32, BO38
Location, N°: Gangtool, T11/T14/T17
Work on: Main spindle
Type of work: 
 $n_{\max}$: 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Attachement: ER 16
Internal coolant : max 120 [bar]
Infos:

BO26-RSE-210-3x-IK

Maschine: Tsugami
Typ: BO26, BO32, BO38
Position, N°: Vertikalhalter, T11/T14/T17
Arbeit über: Hauptspindel
Arbeitstyp: 
 $n_{\max}$: 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Befestigung: ER 16
Interne Kühlmit. : max 120 [bar]
Infos:

BO26-RSE-210-3x-IK

Macchina: Tsugami
Tipo: BO26, BO32, BO38
Posizione, N°: Slitta lineare, T11/T14/T17
Lavoro al: Mandrino principale
Tipo di lavoro: 
 $n_{\max}$: 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Atacco: ER 16
Refrigerante int.: max 120 [bar]
Informazioni: