


BO26-RSE-110M-IK



Machine: Tsugami

Type: BO26, BO32, BO38

Emplacement, N°: Coulisse linéaire, T11

Travail sur: Broche principale

Type de travail: 


$n_{\max}$: 6'000 [rpm]

$i (n_i / n_o)$: 1 / 1


Attachement: ER 16

Avec refroidissement


Infos:

BO26-RSE-110M-IK

Machine: Tsugami
Type: BO26, BO32, BO38
Location, N°: Gangtool, T11
Work on: Main spindle
Type of work: 
 n_{max} : 6'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
Attachement: ER 16
With coolant
Infos:

BO26-RSE-110M-IK

Maschine: Tsugami
Typ: BO26, BO32, BO38
Position, N°: Vertikalhalter, T11
Arbeit über: Hauptspindel
Arbeitstyp: 
 $n_{\max}$: 6'000 [rpm]
 $i (n_i / n_o)$: 1 / 1
Befestigung: ER 16
Mit Kühlmittel
Infos:

BO26-RSE-110M-IK

Macchina: Tsugami

Tipo: BO26, BO32, BO38

Posizione, N°: Slitta lineare, T11

Lavoro al: Mandrino principale

Tipo di lavoro: 

n_{max} : 6'000 [rpm]

$i (n_i / n_o)$: 1 / 1

Atacco: ER 16

Con refrigerante

Informazioni: