


**BO26-BSE-107-3xHP**

Machine: Tsugami

Type: BO265-II/BO266-II/BO325-II/BO326-II/BO385/BO385L

Emplacement, N°: T31-T34

Travail sur: Broche de reprise


Type de travail:  $n_{\max}$ : 18'000 [rpm] $i$  ( $n_i$  /  $n_o$ ): 1 / 3

Attachement: ER11

Refroidissement interne Pression maximale: 120 [bar]

Infos:

## BO26-BSE-107-3xHP



Machine: Tsugami

Type: BO265-II/BO266-II/BO325-II/BO326-II/BO385/BO385L

Location, N°: T31-T34

Work on: Back spindle

Type of work: 


$n_{max}$ : 18'000 [rpm]

$i (n_i / n_o)$ : 1 / 3

Attachement: ER11

Internal coolant Maximum pressure: 137 [bar]

Infos:

**BO26-BSE-107-3xHP**

Maschine: Tsugami

Typ: BO265-II/BO266-II/BO325-II/BO326-II/BO385/BO385L

Position, N°: T31-T34

Arbeit über: Abgreifspindel

Arbeitstyp: 

$n_{max}$ : 18'000 [rpm]


$i (n_i / n_o)$ : 1 / 3

Befestigung: ER11

Inner Kühlmittel Maximaler Druck: 120 [bar]

Infos:

## BO26-BSE-107-3xHP



Macchina: Tsugami

Tipo: BO265-II/BO266-II/BO325-II/BO326-II/BO385/BO385L

Posizione, N°: T31-T34

Lavoro al: Contromandrino

Tipo di lavoro: 

$n_{max}$ : 18'000 [rpm]

$i (n_i / n_o)$ : 1 / 3

Ataccamento: ER11

Refrigerante interno Pressione massima: 120 [bar]

Informazioni: