


KSH-132-27-17

Machine: CITIZEN Cincom

Type: M220/232 et M320/332

Emplacement, N°: Tourelle

Travail sur: Broche principale


Type de travail:  $n_{\max}$: 3'778 [rpm] i (n_i / n_o): 27 / 17

Attachement: Arbre Ø10mm

Sans refroidissement

Infos: Porte-outil de taillage
Inclinaison: 0°-20°

KSH-132-27-17



Machine: CITIZEN Cincom

Type: M220/232 and M320/332

Location, N°: Turret

Work on: Main spindle

Type of work: 


n_{max} : 3'778 [rpm]

i (n_i / n_o): 27 / 17


Attachement: Arbor Ø10mm

Without coolant

Infos: Verzahnungswerkzeughalter
Einstellwinkel: 0°-20°

KSH-132-27-17

Machine: CITIZEN Cincom
Typ: M220/232 und M320/332
Position, N°: Revolver
Arbeit über: Hauptspindel
Arbeitstyp: 
 n_{max} : 3'778 [rpm]
 i (n_i / n_o): 27 / 17
Befestigung: Welle Ø10mm
Ohne Kühlmittel
Infos: Hobbing toolholder
Inclination: 0°-20°

KSH-132-27-17

Macchina: CITIZEN Cincom
Tipo: M220/232 e M320/332
Posizione, N°: Toretta
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 3'778 [rpm]
 i (n_i / n_o): 27 / 17
Ataccamento: Albero Ø10mm
Senza refrigerante
Informazioni: Porta-utensile per rifilatura di ruote
Inclinazione: 0°-20°