




0400-SC016-R00A00-2S01


Machine: Tugami
Type: BO26, BO32, BO38
Emplacement, N°: Coulisse linéaire, T11/T14/T17
Travail sur: Broche principale
Type de travail: 
 $n_{\max}$: 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Attachement: ER 16
Arrosage interne : Sans
Infos:

0400-SC016-R00A00-2S01

Machine: Tugami
Type: BO26, BO32, BO38
Location, N°: Gangtool, T11/T14/T17
Work on: Main spindle
Type of work: 
 n_{max} : 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Attachement: ER 16
Internal coolant : Without
Infos:

0400-SC016-R00A00-2S01

Maschine: Tsugami
Typ: BO26, BO32, BO38
Position, N°: Vertikalhalter, T11/T14/T17
Arbeit über: Hauptspindel
Arbeitstyp: 
 $n_{\max}$: 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Befestigung: ER 16
Interne Kühlmit. : Ohne
Infos:

0400-SC016-R00A00-2S01

Macchina: Tugami
Tipo: BO26, BO32, BO38
Posizione, N°: Slitta lineare, T11/T14/T17
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 18'000 [rpm]
 $i (n_i / n_o)$: 1 / 3
Atacco: ER 16
Refrigerante int.: Senza
Informazioni: