


KSE110-V

Machine: CITIZEN Cincom

Type: M532

Emplacement, N°: T20-T29

Travail sur: Broche principale / Broche de reprise

Type de travail:  n_{max} : 6'000 [rpm] $i (n_i / n_o)$: 1 / 1


Attachement: ER 16

Refroidissement externe

Pression maximale: 100 [bar]

Infos:

KSE110-V



Machine: CITIZEN Cincom

Type: M532

Location, N°: T20-T29

Work on: Main spindle / Back spindle

Type of work: 

n_{max} : 6'000 [rpm]

i (n_i / n_o): 1 / 1


Attachement: ER 16

External coolant

Maximum pressure: 100 [bar]

Infos:

KSE110-V



Maschine: CITIZEN Cincom

Typ: M532

Position, N°: T20-T29

Arbeit über: Hauptspindel / Abgreifspindel

Arbeitstyp: 

n_{max} : 6'000 [rpm]

i (n_i / n_o): 1 / 1


Befestigung: ER 16

Ausser Kühlmittel

Maximaler Drück: 100 [bar]

Infos:

KSE110-V



Macchina: CITIZEN Cincom

Tipo: M532

Posizione, N°: T20-T29

Lavoro al: Mandrino principale / Contromandrino

Tipo di lavoro: 

n_{max} : 6'000 [rpm]

i (n_i / n_o): 1 / 1

Atacco: ER 16

Refrigerante esterno

Pressione massima: 100 [bar]

Informazioni: